

DEMAG AC200 200T All Terrain Compliance Pack



METCALF
CRANE SERVICES

www.metcalfcranes.com.au

78 - 82 Freight Drive Somerton Vic 3062

Phone: (03) 9308 0044

Email: sales@metcalfcranes.com.au

Compliance Pack

TABLE OF CONTENTS

| | |
|---|----|
| Table of Contents..... | 2 |
| Version Control..... | 3 |
| Introduction..... | 4 |
| Purpose | 4 |
| General Information..... | 4 |
| Operator's Manual | 5 |
| Plant Log Book-Daily Inspection..... | 6 |
| Registration of Plant..... | 6 |
| Maintenance Inspections and Green Sticker program | 7 |
| Plant Risk Assessment | 8 |
| Lifting Gear Register | 9 |
| Wire Rope, Winch and Hook Certificates..... | 11 |
| Insurance Plant and Equipment | 14 |
| Insurance Public and Products | 15 |
| Insurance WorkCover | 16 |
| Enterprise Bargaining Agreement..... | 17 |

Compliance Pack

VERSION CONTROL

| Version | Date | Author | Remarks |
|-------------|-----------|----------------|--------------|
| Version 1.0 | July 2016 | Safety Manager | New document |
| | | | |
| | | | |

REVISION HISTORY

| Revision | Date | Description |
|-------------|-----------|--|
| Version 1.1 | Dec 2016 | Update Lifting Register and EBA |
| Version 1.2 | Feb 2017 | Updated Green sticker |
| Version 1.3 | Mar 2017 | Update risk assessment and lifting register |
| Version 1.4 | July 2017 | Update lifting register & insurances |
| Version 1.5 | Oct 2017 | Update lifting register |
| Version 1.6 | Jan 2018 | Update lifting register, risk assessment & green sticker |
| Version 1.7 | Mar 2018 | Update Lifting Register |
| Version 1.8 | June 2018 | Update Lifting Register & EBA & Insurances |
| Version 1.9 | Oct 2018 | Update lifting register |
| Version 2.0 | Jan 2019 | Update lifting register & Plant risk assessment, green sticker |
| Version 2.1 | Apr 2019 | Update lifting register |
| Version 2.2 | May 2019 | Adding wire rope, winch and hook certs |
| Version 2.3 | July 2019 | Updating lifting gear register, insurance certificates |
| Version 2.4 | Oct 2019 | Updating lifting gear register |
| Version 2.5 | Dec 2019 | Updating lifting gear register |
| Version 2.6 | Jan 2020 | Updating lifting gear register & green sticker & Plant risk assessment |
| Version 2.7 | Apr 2020 | Updating lifting gear register |
| Version 2.8 | July 2020 | Updated lifting gear register and insurance certificates |
| Version 2.9 | Oct 2020 | Updated lifting gear register |
| Version 3.0 | Dec 2020 | Updated lifting gear register and risk assessment |
| Version 3.1 | Feb 2021 | Updated lifting gear register and green sticker |

Compliance Pack

INTRODUCTION

Metcalf Crane Services recognises the importance of ensuring that all the correct information is outlined to you as our clients.

This document provides you with the relevant information to ensure that Metcalf Crane Services have the correct documentation for the crane that you wish to engage to provide you with the equipment and services that to desire.

PURPOSE

The purpose of this Compliance pack is to provide you with the right documentation and or information to assist you with making the right decision that Metcalf Crane Services have the right equipment and documentation required to complete the operation for you.

GENERAL INFORMATION


| | |
|---------------|-------------------|
| Make | Terex Demag |
| Model | AC200 |
| Serial Number | 33298 |
| Registration | YGJ 101 (unit 44) |

OPERATOR'S MANUAL

The Operator's Manual can be found within the cabin of the crane for easy reference when required.

The Metcalf office also has access to an electronic copy of the Operator's Manual. The cover of this manual is seen in Figure 1.

Figure 1



PLANT LOGBOOK - DAILY INSPECTION

The Use of the Plant logbook is completed by the crew prior to commencing work each day/shift.

This is the responsibility of the Operator to ensure this is done. See Figures 2 and 3 for a copy of the cover page and example of the Daily inspection logbook form

Figure 2




Figure 3

[illegible]

REGISTRATION OF PLANT

The Occupational Health and Safety Amendment Regulations 2014 came into effect on 1 July 2014. From 1 July you no longer required to register items of plant with the WorkSafe or re-register plant every five years.

With advances in technology, the WorkSafe is able to rely on other sources, including an extensive network of stakeholders and supplier, for information about the location of plant in Victoria, and so the registration of plant isn't as important as it once was.

Some sources that can be used to track plant equipment are VicRoads registration and the CraneSafe program (Section 8).

If Metcalf still have the crane registered with as plant through WorkSafe a copy will be here. (Figure 4)

Figure 4 NA

Compliance Pack

MAINTENANCE INSPECTIONS AND GREEN STICKER PROGRAM

These inspections are carried out by our qualified Mechanic at approximately every 250hrs; these records are stored at the office and are available on request

The mobile crane industry initiated a voluntary crane assessment program throughout Australia. Developed in consultation with the mobile crane industry as a whole, the program aims to augment existing safety standards with annual assessments of mobile cranes now being made by CraneSafe (a division of The Crane Industry Council of Australia).

The program will provide crane owners, suppliers and users in Australia with a common industry wide system for third party assessment of the safety aspects of their cranes. The CraneSafe assessment program is voluntary and while it does not form part of any legislation or regulatory scheme, it will assist crane owners and users in Australia to meet their obligation under the OH&S (plant) regulations to ensure that their cranes are in a safe condition. The program provides crane owners and operators with a process for third party assessment of the safety aspects of their cranes that complies with the regulations of Parts 1, 3, 4, 5, 11, 19 and 20 of AS2550 for annual inspection.

All Metcalf Cranes are involved in this program and a copy of the Green sticker is provided as evidence of this. (Figure 5)

Major inspections should generally be undertaken when the crane, hoist or winch has reached the end of its design life. If the design life is unknown, in most cases, the major inspection of mechanical components should be undertaken after a maximum of 10 years of service.

This report will be attached in figure 6; NA will be added here if the Crane is less than 10 years old.

Figure 5




Figure 6 NA

PLANT RISK ASSESSMENT

The review of the manufactures Risk assessment takes place when the plant is been purchased by the company, if the manufacture has not supplied one, Metcalf will provide one.

The RA will be reviewed periodically and in the event of a serious incident.

This RA can be found in the crane cabin. (Figure 7)

Figure 7




Compliance Pack

LIFTING GEAR REGISTER

The Lifting Register is maintained by Metcalf for all their lifting equipment which is a live document that can and will change on a regular basis. All lifting equipment which includes but not limited to Slings, chains and shackles will be tested to Australian Standards. This crane's lifting register is below (Figure 8)

Figure 8

| <div>  PLANT / EQUIPMENT LIFTING REGISTER - U44 including equipment for U48 Gear Truck Last Updated 21/12/2020 @ 8:23am </div> | | | | | | | | | | |
|---|--------------------|--|---------|--------------------|---------------------------------|-------------------------------|------|----------------------------------|------------------------------|-------------|
| ID / Serial Number | Certificate Number | Description | Length | W.L.L | External Annual Inspection Date | Next External Inspection Date | P/F | Internal R/G/B/Y Inspection Date | Internal R/G/B/Y Expiry Date | RGBY Colour |
| 44.1 | JIC- 495986 | 10mm x 8m x 2 Leg Chainsling complete with shorteners & self locking hooks | 8 Mtr | 5.5T @ 60 DEGREES | 04-Jan-21 | 04-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 44.2 | JIC- 495984 | 10mm x 8m x 2 Leg Chainsling complete with shorteners & self locking hooks | 8 Mtr | 5.5T @ 60 DEGREES | 04-Jan-21 | 04-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 44.5 | JIC- 495987 | 16MM X 8M X 2 Leg Chainsling complete with shorteners & self locking hooks | 8 Mtr | 13.8T @ 60 DEGREES | 04-Jan-21 | 04-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 798668380020011 | JIC- 495955 | 3T X 1.5M Roundsling | 1.5 Mtr | 3T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 798668380020030 | JIC- 495954 | 3T X 1.5M Roundsling | 1.5 Mtr | 3T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 35524 | JIC- 495982 | 16mm x 1.2m x 1 Leg G80 Chainsling complete with shorteners & self locking hooks | 1.2 Mtr | 8T | 04-Jan-21 | 04-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 38916 | JIC- 495983 | 16mm x 1.2m x 1 Leg G80 Chainsling complete with shorteners & self locking hooks | 1.2 Mtr | 8T | 04-Jan-21 | 04-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 44.7 | JIC- 495985 | 20mm x 2.3m x 1 Leg G80 Chainsling complete with shorteners & self locking hooks | 2.3 Mtr | 12.5T | 04-Jan-21 | 04-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 44.3 | JIC- 495988 | 13mm x 8m x 2 Leg G80 Chainsling complete with shorteners & self locking hooks | 8 Mtr | 9.2T @ 60 DEGREES | 04-Jan-21 | 04-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 44.4 | JIC- 495989 | 13mm x 8m x 2 Leg G80 Chainsling complete with shorteners & self locking hooks | 8 Mtr | 9.2T @ 60 DEGREES | 04-Jan-21 | 04-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 601 | JIC- 496030 | 5T Clutch Lifter | | 5T | 06-Jan-21 | 06-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 602 | JIC- 496029 | 5T Clutch Lifter | | 5T | 06-Jan-21 | 06-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 603 | JIC- 496026 | 5T Clutch Lifter | | 5T | 06-Jan-21 | 06-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 640 | JIC- 496034 | 5T Clutch Lifter | | 5T | 06-Jan-21 | 06-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 497 | JIC- 496031 | 2.5T Clutch Lifter | | 2.5T | 06-Jan-21 | 06-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 486 | JIC- 496028 | 2.5T Clutch Lifter | | 2.5T | 06-Jan-21 | 06-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 485 | JIC- 496025 | 2.5T Clutch Lifter | | 2.5T | 06-Jan-21 | 06-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |

Compliance Pack

| | | | | | | | | | | |
|------------------|-------------|---|----------|-------------------------|-----------|-----------|------|-----------|-----------|-----|
| 503 | JIC- 496027 | 2.5T Clutch Lifter | | 2.5T | 06-Jan-21 | 06-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| NV27 | JIC- 496014 | 17T Bow Shackle | | 17T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| NV27.1 | JIC- 496015 | 17T Bow Shackle | | 17T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| NV27.2 | JIC- 496016 | 17T Bow Shackle | | 17T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| NV27.2 | JIC- 496017 | 17T Bow Shackle | | 17T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| NV27.3 | JIC- 496018 | 17T Bow Shackle | | 17T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| HW32 | JIC- 495996 | 13.5T Bow Shackle | | 13.5T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BN25 | JIC- 496023 | 12T Bow Shackle | | 12T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BN15 | JIC- 496003 | 12T Bow Shackle | | 12T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| ACS2 | JIC- 496019 | 9.5T Dee Shackle | | 9.5T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| ACS | JIC- 495993 | 9.5T Dee Shackle | | 9.5T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| ACS | JIC- 496022 | 4.7T Bow Shackle | | 4.7T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| ACS | JIC- 495990 | 6.5T Bow Shackle | | 6.5T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| NV41 | JIC- 495992 | 6.5T Bow Shackle | | 6.5T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BY05 | JIC- 495991 | 6.5T Bow Shackle | | 6.5T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BY01 | JIC- 496001 | 3.2T Bow Shackle | | 3.2T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| S6 | JIC- 496000 | 3.2T Bow Shackle | | 3.2T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BN9054 | JIC- 496009 | 2T Bow Shackle | | 2T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BJ74 | JIC- 496006 | 2T Bow Shackle | | 2T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| NV28 | JIC- 496007 | 2T Bow Shackle | | 2T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| NV28.1 | JIC- 496008 | 2T Bow Shackle | | 2T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| NV16 | JIC- 496002 | 3.2T Safety Bow Shackle | | 3.2T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 90.26 | JIC- 495980 | 20mm x 9.97m x 2leg G80 Chain Sling Complete With Shorteners & Self Locking Hooks | 9.97 Mtr | 26.0 Tonne @ 60 Degrees | 04-Jan-21 | 04-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 90.25 | JIC- 495981 | 20mm x 9.97m x 2leg G80 Chain Sling Complete With Shorteners & Self Locking Hooks | 9.97 Mtr | 26.0 Tonne @ 60 Degrees | 04-Jan-21 | 04-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 4N52V3 | JIC- 496033 | 10t Clutch Lifter | | 10T | 06-Jan-21 | 06-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 7630 | JIC- 496032 | 10t Clutch Lifter | | 10T | 06-Jan-21 | 06-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 112787 | JIC- 495957 | 4t x 6m Flat Web Sling | 6 Mtr | 4T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 4060005 | JIC- 495967 | 4t x 6m Flat Web Sling | 6 Mtr | 4T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 1754190101 | JIC- 495977 | Spanset Twin Lanyard | | | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 11765003951 | JIC- 495960 | 8t x 8m Round Sling | 8 Mtr | 8T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 11765003955 | JIC- 495962 | 8t x 8m Round Sling | 8 Mtr | 8T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 11765003956 | JIC- 495958 | 8t x 8m Round Sling | 8 Mtr | 8T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 11765003959 | JIC- 495961 | 8t x 8m Round Sling | 8 Mtr | 8T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| 7689-19/30890 | JIC- 495972 | 1t x 1.5m Flat Web Sling | | 1T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BJ35 | JIC- 495995 | 9.5T Bow Shackle | | 9.5T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BJ9070/1X6/0103 | JIC- 495964 | 1t x 6m Round Sling | | 1T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BJL8605/5X2/0013 | JIC- 495963 | 5t x 2m Round Sling | | 5T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BJL8605/5X2/0089 | JIC- 495959 | 5t x 2m Round Sling | | 5T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BL9070/1x6/0100 | JIC- 495965 | 1t x 6m Round Sling | | 1T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BN21 | JIC- 496021 | 4.7t Bow Shackle | | 4.7T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BN45 | JIC- 496013 | 12t Bow Shackle | | 12T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BS6 | JIC- 496012 | 35t Bow Shackle | | 35T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BY05 | JIC- 496020 | 4.7t Bow Shackle | | 4.7T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| CHL415 | JIC- 495998 | Container Lifter Left Hand | | 12.5T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| CHL4151 | JIC- 495999 | Container Lifter Left Hand | | 12.5T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| E16S | JIC- 496010 | 12t Bow Shackle | | 12T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| BS6B | JIC- 496011 | 35t Dee Shackle | | 35T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| E00401005FAB4715 | JIC- 495979 | Protecta Harness Complete With 1.8m Lanyard | 1.8 Mtr | | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| E00401007FA8AC99 | JIC- 495978 | Protecta Harness | | | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| HB21 | JIC- 496005 | 12.5t Container Hook | | 12.5T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| JBS | JIC- 495994 | 9.5t Bow Shackle | | 9.5T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| NV25.2 | JIC- 496004 | 25t Bow Shackle | | 25T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| NV25 | JIC- 495997 | 25t Bow Shackle | | 25T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| R1311137015 | JIC- 495966 | 8t x 6m Round Sling | | 8T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| R1510014010 | JIC- 495968 | 8t x 6m Round Sling | | 8T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| S08060AHA0047 | JIC- 495971 | 8t x 6m Round Sling | | 8T | 03-Jan-21 | 03-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |
| UUG.1 | JIC- 496024 | 2.5t VLBG Ring Bolt | | 2.5T | 05-Jan-21 | 05-Jan-22 | PASS | 01-Jan-21 | 31-Mar-21 | Red |

Compliance Pack

WIRE ROPE, WINCH AND HOOK CERTIFICATES



WIRE ROPE VISUAL INSPECTION REPORT

| | |
|--|---|
| Customer: METCALF CRANE SERVICES | Certificate Number: Fert-Nr-26154 |
| Address: 24-26 FRODOX DRIVE THOMASTOWN | Construction: 21-15xK7-WSC-2160-UZZ |
| | Application: MAIN LOAD LINE |
| Inspected at: ABOVE | Galvanised: Y / N <input checked="" type="checkbox"/> |
| Machine Type: TEREX | Length: 345 M |
| Serial Number: 33298 | Nominal Diameter: 21 MM |
| Plant Unit Number: UNIT 44 | Termination [S]: 42 MM THIMBL |
| Lay: RH | |

| Location Measured Metres | Actual Wire Rope Diameter mm | Broken Wires | Abrasion | Corrosion | Comments |
|--------------------------|------------------------------|--------------|----------|-----------|---|
| 30 | 21.5 | N/A | N/A | N/A | RAN 100% OF ROPE THROUGH HAND NO BROKEN STRANDS OR WIRES ROPE IN AS NEW CONDITION AT TIME OF INSPECTION |
| 60 | 21.5 | | | | |
| 90 | 21.49 | | | | |
| 100 | 21.5 | | | | |
| 130 | 21.5 | | | | |
| 160 | 21.5 | | | | |
| 190 | 21.48 | | | | |
| 200 | 21.49 | | | | |
| 230 | 21.5 | | | | |
| 260 | 21.5 | | | | |
| 290 | 21.49 | | | | |
| 300 | 21.5 | | | | |
| 340 | 21.49 | | | | |

Key: (1) NEGLIGIBLE (2) VERY SLIGHT (3) SLIGHT (4) MODERATE (5) HEAVY (6) SEVERE
Inspection Criteria: AS2759-2004 [TABLE 14.2] Max. Outer Wire Wear 30% Clause 14.9 Wear Of 95% Of Nominal Diameter

| | |
|-----------------------------------|---|
| MINIMUM WIRE ROPE DIAMETER: 21.49 | SUITABLE FOR FURTHER USE: <input checked="" type="checkbox"/> |
|-----------------------------------|---|

At time of this visual inspection, the wire rope is considered fit for further use within normal operating parameters. The continued use of this rope is the responsibility of the owner.

| | |
|--|------------|
| Undertaken by: JOE JOHN CARROLL | |
| The above specified link has been inspected and found to be fit for further use, providing the unit is operated and maintained in accordance with manufacturers specifications. | |
| Inspected by: JOHN CARROLL | Name: |
| Company: JATCO ENG | Signature: |
| Position: (MAIN WINCH ROPE) | |
| DATE: 23/11/2018 | |

plantsmart.net.au

Compliance Pack



LINE PULL / WINCH BRAKE TEST CERTIFICATE

Certificate Number: 23/11/2018

Customer: METCALF CRANE SERVICE

Address: 24-26 FRIEGHT DRIVE
THOMSTOWN

Inspected at: ABOVE ADDRESS

Application: MAIN HOIST

Machine Type: TEREX

Nominal Diameter: FULL DRUM

Serial Number: 33298

Crane Line Pull: 9900KG

Plant Unit Number: UNIT 44

Actual:

Load Cell: METCALF 4003-B-3

Parts: 1

| Increments 10 minutes | Time | Weight |
|--------------------------|-------|--------|
| 10 | 10.05 | 9900 |
| 20 | 10.15 | 9140 |
| 30 | 10.25 | 9140 |
| 40 | 10.35 | 9140 |
| 50 | 10.45 | 9140 |
| 60 | 10.50 | 9140 |

Undertaken by:

hereby certifies that the aforementioned crane, as specified by the serial number, has passed, in all respects, to the "testing conditions" listed.

Inspected by:

JOHN GARDIN
JOATLOEAB
(MAIN WINCH)

Name:

Company:


Signature:

Position:

DATE:

23/11/2018

Compliance Pack



HOOK BLOCK VISUAL INSPECTION REPORT

| | | | |
|---------------------|----------------------------------|--|--|
| Certificate Number: | R0023 23/11/2018 | | |
| Customer: | METCALF CRANE SERVICES | | |
| Address: | 74-76 FRIEGHT DRIVE TOMASTOWN | | |

| | | | |
|--------------------|----------|----------------|--------|
| Inspected at: | ABOVE | Description: | |
| Machine Type: | TEREX | SWL: | 200 T |
| Serial Number: | 33298 | Sheaves: | 3 |
| Plant Unit Number: | UNIT 44 | Tare: | 250 KG |
| Hook ID Number: | 12267812 | Wire Diameter: | 21 mm |

| | | | |
|-------------------|----------|---------------|-----|
| Plate | | Top fitting | P |
| SWL stamped | 88 T | Wear | P |
| Tare stamped | 850 KG | Hook Cracks | P |
| ID number stamped | 88731219 | Deformation | P |
| Sheave | 3 | Safety catch | P |
| Groove wear | P | Swivel | P |
| Bruising | P | Bearing | P |
| Rotation | P | Hook bruising | P |
| Sheave Cracks | P | Y-Y measure | 185 |
| Chips | P | Standard | |

P = PASS F = FAIL N/A = Not Applicable TEST SPECIFICATION AS2089:1993

Undertaken by:

The above specified block has been inspected and found to be fit for further use, providing the unit is operated and maintained in accordance with manufacturers specifications.

Inspected by: John Carroll

Company: JATCO ENG

Position: _____

Name: _____


Signature: _____

DATE: 23/11/18

plantsmart.net.au

INSURANCE PLANT AND EQUIPMENT

Figure 9



Underwriting Agencies of Australia Pty Ltd
AFSL: 238517 ABN: 86 003 565 302

Industrial Special Plant "ISP" Certificate of Currency
Section 1 – "Damage" + Section 6 – "Road Risk"
This certificate acknowledges that the Policy referred to is in force for the period shown,
the summary of cover is listed below.

| | |
|----------------------|--|
| Date: | Friday, 26 June 2020 |
| Policy Number: | 13TI031351ISP |
| Insured: | Metcalf Crane Services, Metcalf Heavy Haulage, Metcalf Investments Pty Ltd |
| Period of Insurance: | 1 July 2020 to 1 July 2021 at 4:00pm Local Standard Time |
| Policy Wording: | QM2003-0819 Industrial Special Plant (ISP) |
| Insurer: | QBE Insurance (Australia) Limited |

Policy Details:

| | |
|--|------------------------|
| Section 1 – "Damage" | |
| Total Sum Insured: | \$38,764,255 |
| Excess: | as per Policy Schedule |
| Section 3 – "Additional Benefits" | |
| Cover Details: | as per Policy Schedule |
| Excess: | as per Policy Schedule |
| Section 6 – "Road Risk" | |
| Limit of Indemnity: | \$30,000,000 |
| Excess: | as per Policy Schedule |

Items Covered:

| | |
|---------------------------|--------------|
| 31 X CRANES (REG) | \$32,255,985 |
| 4 X CRANES (UNREG) | \$671,005 |
| 1 X FORKLIFT (UNREG) | \$20,000 |
| 1 X CRANE TRUCK (REG) | \$100,000 |
| 13 X TRUCKS (REG) | \$964,296 |
| 11 X PRIME MOVERS (REG) | \$1,820,161 |
| 25 X TRAILERS (REG) | \$1,602,917 |
| 3 X FUEL TANKS (UNREG) | \$187,174 |
| REGISTERED HIRED IN PLANT | |
| 19 X UTILITIES (REG) | \$859,438 |
| 3 X SEDANS / WAGONS (REG) | \$283,279 |


Subject at all times to the Terms, Conditions, Definitions, Exclusions & Endorsements of the Policy.

This certificate of currency was generated with compliments from:
Brooklyn Hunter
Phone: 03 9134 4400

Industrial Special Plant ("ISP") is underwritten by QBE Insurance Australia Limited ABN: 78 003 191 035 AFSL: 239545 of 2 Park Street, Sydney NSW 2000.
Underwriting Agencies of Australia ("UAA") ABN: 86 003 565 302 AFSL: 238517 act as the agents of the Insurer.

INSURANCE PUBLIC AND PRODUCTS

Figure 10



Underwriting Agencies of Australia Pty Ltd
AFSL: 238517 ABN: 86 003 565 302

Industrial Special Plant "ISP" Certificate of Currency
Section 7 – "Broadform Liability"
This certificate acknowledges that the Policy referred to is in force for the period shown,
the summary of cover is listed below.

| | |
|----------------------|--|
| Date: | Friday, 26 June 2020 |
| Policy Number: | 13TI031351ISP |
| Insured: | Metcalf Crane Services, Metcalf Heavy Haulage, Metcalf Investments Pty Ltd |
| Period of Insurance: | 1 July 2020 to 1 July 2021 at 4:00pm Local Standard Time |
| Policy Wording: | QM2003-0819 Industrial Special Plant (ISP) |
| Insurer: | QBE Insurance (Australia) Limited |

Policy Details:

Section 7 – "Broadform Liability"

Insured's Business Activities: MOBILE CRANE OPERATIONS, WET & DRY HIRE, RIGGING & HEAVY HAULAGE TRANSPORT

Limit of Liability: \$30,000,000 (Public Liability) any one Occurrence; and
\$30,000,000 (Products Liability) any one Occurrence and in the Aggregate any one Period of Insurance.

Excess: as per Policy Schedule

This policy includes a Principals Indemnity provision; refer to Section 7.C Additional Benefits, 3.(e) "Cover for Others" of the Policy Wording for full details.

Noted as Principal: Nil

Subject at all times to the Terms, Conditions, Definitions, Exclusions & Endorsements of the Policy.


This certificate of currency was generated with compliments from:
Brooklyn Hunter
Phone: 03 9134 4400

Industrial Special Plant ("ISP") is underwritten by QBE Insurance Australia Limited ABN: 78 003 191 035 AFSL: 239545 of 2 Park Street, Sydney NSW 2000.
Underwriting Agencies of Australia ("UAA") ABN: 86 003 565 302 AFSL: 238517 act as the agents of the Insurer.

INSURANCE WORKCOVER

Figure 11

**CERTIFICATE
OF CURRENCY**



EML
Mutual since 1910
Authorised Agent of the Victorian WorkCover Authority

1. STATEMENT OF COVERAGE

This employer is registered for WorkCover Insurance to cover its liabilities under the *Workplace Injury Rehabilitation and Compensation Act 2013* (and amendments).

This Certificate is valid from: to:

The information provided in this Certificate of Currency is correct at:

2. EMPLOYER'S INFORMATION

WorkCover Employer Number:

Legal Name:

Trading Name:

ABN:

ACN/ARBN:



Chris Papadopoulos
Premium and Policy Manager
EML VIC Pty Ltd
For and on behalf of the Victorian WorkCover Authority
A.C.N. 606 104 910
GPO Box 4695 MELBOURNE VIC 3001
Telephone (03) 7000 0700
Toll Free 1800 365 842 (1800 EML VIC)
Fax (03) 7000 0701

Compliance Pack

ENTERPRISE BARGAINING AGREEMENT

Modern awards cover a whole industry or occupation and provide a safety net of minimum pay rates and employment conditions.

Enterprise agreements can be tailored to meet the needs of particular enterprises. An agreement must leave an employee better off overall when compared to the relevant award or awards.

Enterprise agreements are collective agreements made at an enterprise level between employers and employees about terms and conditions of employment. Metcalf's EBA shows below: (Figure 12 and 13)

Figure 12




Figure 13



Australian Government
Australian Building and
Construction Commission

4 April 2018

Mr Paul Finnerty
General Manager
Metcalf Crane Services Pty Ltd
74 - 76 Freight Drive
SOMERTON VICTORIA 3062

DETERMINATION OF COMPLIANCE WITH SECTION 11
ABCC EA ID: EA5746
FWC Matter Number: AG2016/5531
FWC Variation Number: AG2017/5754

Dear Mr Finnerty,

On 4 April 2018 you requested advice from the Australian Building and Construction Commission (ABCC) on whether the registered enterprise agreement listed in your request meets the requirements of the *Code for the Tendering and Performance of Building Work 2016* (the Building Code 2016).

This Determination of Compliance is issued for the following registered enterprise agreement because it meets the requirements of section 11 of the Building Code 2016:

**METCALF CRANE SERVICES PTY LTD AND THE CFMEU MOBILE CRANE HIRING
INDUSTRY ENTERPRISE AGREEMENT 2016 - 2019**

Accordingly, by virtue of section 22(3) of the Building Code, this determination is taken to be conclusive of the fact that this registered enterprise agreement meets the requirements of section 11 of the Building Code 2016.

Note: This Determination of Compliance is based on the enterprise agreement registered with the Fair Work Commission at the date of this determination. If the registered enterprise agreement is varied after this date, the Determination of Compliance ceases to be effective. In these circumstances, you will need to consider submitting the varied agreement for further advice.

Parties must also comply with all relevant provisions of the Building Code 2016 in relation to their practical on-site application. The ABCC monitors behaviour on sites to which the Building Code applies and investigates any alleged breaches. The ABCC can be contacted through its hotline on 1800 003 338 or at www.abcc.gov.au.

The Building Code 2016 is available at <https://www.legislation.gov.au/Details/F2016L01859>.

Yours sincerely



Tom Cagorski
Legal Manager – Agreement Compliance
Australian Building and Construction Commission